

[24/April/2019 Updated PassLeader Free New Update 640-875 Exam Questions Collection

New Updated 640-875 Exam Questions from PassLeader 640-875 PDF dumps! Welcome to download the newest PassLeader 640-875 VCE dumps: <https://www.passleader.com/640-875.html> (268 Q&As) Keywords: 640-875 exam dumps, 640-875 exam questions, 640-875 VCE dumps, 640-875 PDF dumps, 640-875 practice tests, 640-875 study guide, 640-875 braindumps, Building Cisco Service Provider Next-Generation Networks, Part 1 (SPNGN1) Exam P.S. New 640-875 SPNGN1 dumps PDF: https://drive.google.com/open?id=0B-ob6L_QjGLpZGpwNTVrRmdFaVU P.S. New 640-878 SPNGN2 dumps PDF: https://drive.google.com/open?id=0B-ob6L_QjGLpU3VHYVJYeUFmQlk

NEW QUESTION 231 Which two components are used when creating an endpoint's modified EUI-64 format IPv6 address? (Choose two.) A. Hexadecimal value of 0xFFFE. B. 48-bit MAC address. C. 64-bit MAC address. D. Link local suffix. E. IPv4 address. Answer: AB

NEW QUESTION 232 An engineer's supervisor sees manual route summarization as complex and unnecessary. Which two arguments can be made for route summarization? (Choose two.) A. It advertises detailed routing tables. B. It reduces routing table size. C. It reduces the upstream impact of a flapping interface. D. It increases security by advertising fake networks. E. It utilizes the full CPU performance capacity on the routers. Answer: BC

NEW QUESTION 233 Which statement about Flex Links is true? A. Flex Links are supported only if the PVST protocol is used on the links. B. STP is disabled on Flex Links. C. Flex Links are supported only if the Cisco proprietary Rapid PVST protocol is used on the links. D. At least two backup interfaces are required to configure Flex Links. Answer: B

NEW QUESTION 234 How many bits of an 802.1Q header are allocated for a VLAN identifier? A. 8 B. 12 C. 24 D. 32 Answer: B

NEW QUESTION 235 Which field in the Ethernet header is used to forward Ethernet frames? A. frame check sequence B. source address C. EtherType D. destination address Answer: D

NEW QUESTION 236 If you attempt to enable 802.1x for an EtherChannel port, what happens? A. An error occurs, because 802.1x is not supported on EtherChannel. B. The 802.1x authentication is extended to all of the ports in the EtherChannel bundle. C. An error occurs, but 802.1x is enabled for the EtherChannel bundle. D. All of the ports are removed from the EtherChannel bundle. Answer: A

NEW QUESTION 237 An engineer wants to ensure that an interface goes into the error disable state immediately when a violation is detected on port. Which command must be used to accomplish this requirement? A. switchport port-security violation disable B. switchport port-security violation shutdown C. switchport port-security violation restrict D. switchport port-security violation protect Answer: B

NEW QUESTION 238 Which statement is true when using VRF? A. Overlapping IP addresses can be used without conflict. B. Multiple instances of a routing table cannot coexist on the same router. C. Routing instances must not contain overlapping address space. D. Two interfaces on the same router cannot be configured with the same IP address. Answer: A

NEW QUESTION 239 Which routing protocol marks redistributed routes as external? A. EIGRP B. RIPng C. RIPv2 D. BGP Answer: A

NEW QUESTION 240 Which statement regarding the GRE protocol is true? A. It uses IP protocol 50. B. It provides encryption. C. It is the default mode for tunnels. D. It can transport unicast traffic only. Answer: C

NEW QUESTION 241 Which OSPF router handles distribution between OSPF and another routing protocol such as EIGRP or BGP? A. autonomous system border router B. area border router C. designated router D. border gateway router Answer: A

NEW QUESTION 242 Which two features were introduced in ICMP version 6? (Choose two.) A. error reporting B. neighbor discovery C. signaling D. round trip estimates E. router discovery Answer: BE

NEW QUESTION 243 Which two values must you configure when you enable a DHCP server on a Cisco router? (Choose two.) A. inside and outside NAT interfaces B. client DNS domain name C. default gateway D. router ID E. VLAN assignment Answer: BC

NEW QUESTION 244 Which two statements about A records and AAAA records in DNS are true? (Choose two.) A. A records can be returned in IPv6 packets only. B. AAAA records can be returned in IPv6 packets only. C. AAAA records can be returned in either IPv4 packets or IPv6 packets. D. A records can be returned in either IPv4 packets or IPv6 packets. E. A records and AAAA records can be used interchangeably. Answer: BE

NEW QUESTION 245 Which two DSL technologies are symmetrical? (Choose two.) A. HDSL B. SDSL C. VDSL D. RADSLE E. ADSL Answer: AB

NEW QUESTION 246 Which statement about how data is transmitted in a GPON environment is true? A. Nodes provide optical to electrical conversion between the OLT and the ONTs. B. Optical splitters are used to separate wavelengths assigned to different ONTs. C. Each ONT receives the traffic intended for all ONTs on the same PON. D. The OLT sends traffic to specific ONTs based on an assigned timeslot. Answer: B

NEW QUESTION 247 Which three layers comprise the SONET transport hierarchy? (Choose three.) A. line layer B. path layer C. section layer D. data-link layer E. application layer F. network layer Answer: ABC

NEW QUESTION 248 In which DWDM network topology does protected traffic travel only between two hub nodes? A. any-to-any ring B. hubbed ring C. multihubbed ring D. meshed ring Answer: C

NEW QUESTION 249 On a service provider network, which device functions as an aggregation point for CPE devices? A. a P router B. a CE router C. a PE router D. a CE

switch Answer: C NEW QUESTION 250A network engineer is asked to protect the PE routers by configuring Control Plane Policing. How does this work? A. It encrypts packets before transmitting them across a network.B. It prevents network data interception.C. It prevents unauthorized access into networking devices.D. It prevents and protects the control plane of Cisco IOS routers and switches against reconnaissance and denial-of-service (DoS) attacks. Answer: D NEW QUESTION 251Which two statements regarding router ACLs are true? (Choose two.) A. They can restrict and block unwanted access to Cisco IOS services. B. They have no effect on router resources.C. They can be defined as standard, extended, or optional access lists.D. They can protect the router processor from unnecessary traffic, to maintain performance.E. They cannot be used to prevent DoS attacks. Answer: AD NEW QUESTION 252For which two reasons would an engineer configure neighbor authentications? (Choose two.) A. The neighbor requires authentication.B. Routing update packets are being rejected.C. The router could receive false routing information.D. To maintain link stability.E. Changes to the routing infrastructure are being made. Answer: AC NEW QUESTION 253Drag and DropDrag and drop the characteristics from the left onto the correct data communications networks on the right www.passleader.com

wide geographic area	LAN
Frame Relay	
PPP	
hub	WAN
single building or small geographic area	
subscription to outside service provider	
token ring	

Answer: www.passleader.com

LAN
single building or small geographic area
hub
token ring
WAN
wide geographic area
Frame Relay
PPP
subscription to outside service provider

NEW QUESTION 254 Drag and Drop Drag and drop the network layers from the left onto their most common function on the right.

www.passleader.com distribution	high-speed swithing
access	Data aggregation
core	client connectivity

Answer: [www.passleader.com](#)

core
distribution
access

NEW QUESTION 255 You have a switch that is configured to send messages to a syslog server. What should you do to log debugging information to syslog? A. Set the logging trap to 0. B. Set the logging trap to 7. C. Set the logging facility to 16. D. Set the logging facility to 61. Answer: B

NEW QUESTION 256 Which command provides the highest level of detail about the system diagnostics on a Cisco XE router? A. show tech-support B. show registry C. show running-config D. show inventory Answer: A

NEW QUESTION 257 Which CLI command works for Cisco IOS and Cisco IOS XR Software configuration? A. boot system B. enable C. ip subnet-zero D. snmp-server Answer: D

NEW QUESTION 258 An engineer must collect information about the cards installed in a Cisco routing running Cisco IOS XE Software. Which command can the engineer use to collect this information? A. show startup-config B. show diag C. show version D. show running-config Answer: B

NEW QUESTION 259 An engineer must set up a password to be used for privilege exec mode and wants the password to be stored in the most secure method. Which command must the engineer use? A. username support password cisco B. enable password cisco C. username support secret cisco D. enable secret cisco Answer: D

NEW QUESTION 260 An engineer wants to display the combined content of the target and running configurations without committing the changes in a Cisco IOS XR Router. Which command accomplishes this task? A. show configuration B. show running-config sanitized C. show running-config D. show configuration merge Answer: D

NEW QUESTION 261 Download the newest PassLeader 640-875 dumps from [passleader.com](#) now! 100% Pass Guarantee! 640-875 PDF dumps & 640-875 VCE dumps: <https://www.passleader.com/640-875.html> (268 Q&As) (New Questions Are 100% Available and Wrong Answers Have Been Corrected! Free VCE simulator!) P.S. New 640-875 SPNGN1 dumps PDF: https://drive.google.com/open?id=0B-ob6L_QjGLpZGpwNTVrRmdFaVU P.S. New 640-878 SPNGN2 dumps PDF: https://drive.google.com/open?id=0B-ob6L_QjGLpU3VHYVJYeUFmQlk